

# Index

- Absolute error 94, 105, 111–112, 196, 198, 200, 400, 402
- Accuracy 13, 20, 22–26, 38, 59, 62, 72, 84, 94, 101, 111, 120, 126, 128, 129, 137, 142–143, 148, 160, 165, 187, 193, 198–199, 203, 206, 212–215, 217, 235–236, 256, 259, 263, 268, 302, 307, 339, 379, 382, 399–400
- Adapted to a filtration 63, 347, 373–374
- Adjoint method 143, 145–147
- Algorithm 12
  - American options 186, 191, 193
  - Assembling 240
  - Bermudan option 49–51
  - Binomial method 22, 68
  - Box–Muller method 88
  - Brennan–Schwartz 226
  - Correlated random variables 91
  - Crank–Nicolson 170
  - Distribution function 66
  - Euler discretization 38, 63
  - Fibonacci generator 82
  - Finite elements 249
  - Implied volatility 67
  - Interpolation 203
  - Inversion of the standard normal distribution 401
  - Lax–Wendroff 300
  - Linear congruential generator 76
  - Milstein integrator 118
  - Monte Carlo simulation 124–125
  - Polar method 89
  - Projection SOR 189
  - Quadratic approximation 206
  - Radical–inverse function 104
  - Random walk 63
  - Variance 66–67
  - Wallace random numbers 101
  - Wiener process 32
  - Ziggurat 101
- Analytic methods 199–212, 220–221, 226
- Analytic solution formula 11, 52, 61, 70, 111, 125–127, 129, 133, 205, 356–357
- Antithetic variates 101, 128–129
- Arbitrage 5, 10, 17, 27, 42, 65, 72, 174, 178, 216, 224, 287, 317, 321, 332, 351–355, 374–376, 397
- ARCH 64
- Assembling 239–240, 248, 258, 271
- Autonomous 114–115, 117, 118, 143
- Avellaneda 323, 330
- Bachelier 30, 64
- Backward difference 159, 166–167, 185, 187, 222
- Backward difference formula (BDF) 159, 217, 225, 326, 328, 344, 347
- Backward time centered space (BTCS) 166
- Barles and Soner model 318–319, 344, 345
- Basis function 64, 140, 233–238, 242–243, 247, 257, 262–263, 267–269, 288, 393
- Basis representation 232, 242, 256
- Bear spread 72
- Behavioral finance 65
- Benchmark 60, 212–213
- Bernoulli experiment 53, 370–371
- Bias 16, 125–129, 133, 141, 152, 153, 370
- Bilinear form 261–264, 266–267
- Binomial distribution 69, 371
- Binomial method 14–26, 49, 61–62, 68–69, 71, 73–74, 122, 139, 213, 215, 275–276, 280, 309, 312–313
- Bisection 84, 211, 383
- Black–Merton–Scholes approach 9–10, 61–62, 64, 142, 277

- Black–Scholes equation or model
  - 9–11, 47, 59, 65–66, 73, 109, 122–127, 134, 149, 153, 155–157, 167, 171–184, 201–211, 217–225, 242, 246–252, 272, 273–275, 279, 282, 288–294, 296, 298, 302–305, 308, 310, 311, 315–324, 330, 333, 344, 346, 347, 354–364, 376, 377, 395–396, 399
- Black–Scholes formula 11, 21, 67, 68, 200–203, 206, 209, 215, 242, 356
- Black–Scholes inequality 180–183, 218, 305
- Bond 6, 62, 73, 316–318, 349–352, 354–355, 382
- Boundary conditions 11, 64, 158, 170–174, 178–179, 182, 184–186, 195, 207–208, 216, 218, 222–225, 230, 236, 241–243, 250, 254–256, 259, 260–261, 263, 267, 268, 275, 277, 279–280, 283, 286, 303–305, 308, 309, 324–326, 337, 347
- Bounds on options 5, 7, 50, 72, 136–138, 153, 172, 202, 397–398
- Box–Muller method 87–89, 148
- Brennan 190, 213, 219, 226
- Bridge 121, 149, 152, 309
- Brownian motion 30–31, see Wiener process
- Bubnov 234
- Bull spread 72, 346
- Butterfly spread 72, 321–323, 330, 346
- Business time 334
- Calculus of variations 261
- Calibration 43, 53, 57–60, 67, 143, 391
- Call, see Option
- Cancellation 66
- Carr 59, 343
- Cauchy distribution 104
- Céa 264–265
- Centered time centered space (CTCS) 299
- Central Limit Theorem 82, 93–94, 125–126, 370
- CGMY process 334
- Chain rule 46, 85, 114, 144
- Characteristic function 331–332, 340
- Cholesky decomposition 90–92, 101, 108, 146, 278, 280, 311, 385
- CIR model 43, 45, 64, 65
- Classical solution, see Strong solution
- Collateralized mortgage obligation (CMO) 93
- Collocation 234
- Commodities 349
- Comparisons 60, 96, 102, 212–215
- Complementarity 182–184, 187, 190–191, 218, 221, 245–246, 272, 303, 304, 322, 339
- Complete market 315, 376
- Complexity 227
- Compound Poisson process 55–56, 332–333
- Conditional expectation 16, 48, 139, 332, 373
- Condition number 221, 379–380
- Confidence interval 125, 150, 370
- Conforming element 268
- Congruential generator 76–82, 100, 103
- Conservation law 299, 309
- Consistency 326–327
- Contact point 175, 178–179, 190, 224
- Continuation region 175–181, 204, 246–247, 322, 359
- Continuation value or function 21, 50, 139, 141, 150
- Continuum 13–14, 160, 230
- Control variate 101, 128, 130–131, 149
- Convection-diffusion problem 288–298
- Convergence 13, 18, 21–24, 32, 34, 51, 62, 93–96, 113–114, 118–119, 123–130, 140, 148, 189, 199, 215, 217, 230, 244, 263–267, 280, 307, 309, 326–330, 339, 344, 346, 371, 383, 386–387, 392, 394
- Convergence in the mean 34–36, 117, 371
- Convergence order, see Order of error
- Convex 11, 67, 175, 188, 224, 318, 321, 363, 369, 399
- Correlated random variable 90–92
- Correlation 44–45, 58, 77, 82, 90–92, 99, 105, 108, 129–130, 133, 143, 146, 154, 277–280, 307, 312, 344, 369, 371
- Courant–Friedrichs–Lewy (CFL) condition 295, 300
- Courant number 293–294
- Covariance 90–92, 107–108, 119, 129–131, 270, 277, 368–370
- Cox 43–45, 61, 73

- Crank–Nicolson method 167–170, 172, 185–187, 191, 194–195, 198, 217, 222, 244, 248, 289, 303, 325, 329, 344
- Cryer 188–189, 388
- Curse of dimension 227, 277, 279, 280
- DAX 59, 60, 107
- Decomposition of a matrix 90–92, 101, 107, 166, 170, 190, 383–385
- Delta 12, 25, 29, 62, 74, 143, 146, 194, 211, 220, 289–291, 318, 355, 357, 380
- Density function 47–50, 70, 90, 104, 122, 143, 209, 340, 345, 368
- Derivatives, financial 1, 350–352
- Differentiable (smooth) 11, 22, 24, 32, 46–47, 63, 65, 86, 94, 95, 101–102, 113, 121, 123, 137, 158, 168, 176, 178, 181, 187, 193, 198–199, 217–218, 220, 224, 231, 235–236, 246–247, 260–261, 265–268, 302, 344, 359–361, 371, 380–381, 388–394
- Diffusion 36–37, 55–57, 115, 158, 258, 288–295, 301–302, 309, 319, 331, 333, 358, 363–364
- Dirac's delta function 234, 364
- Dirichlet boundary condition 171, 224, 242–244, 255–256, 260
- Discounting 26, 28, 42, 62, 69, 133, 144, 147, 171, 332, 377
- Discrepancy 95–100, 102, 105, 148, 149
- Discrete dividend 26, 156, 176, 216, 218, 221, 356, 359, 362
- Discrete monitoring 287
- Discretization 13–15, 31–32, 37–38, 40, 54, 127, 139, 142, 144, 147, 153, 159–160, 167, 183, 185–187, 191, 198, 206, 214, 217, 224, 231, 243–244, 247, 251, 254, 263, 267, 270, 277, 279, 287, 292–295, 305, 325–327, 337, 339
- Discretization error 14, 110, 126, 129, 148, 168, 195, 199, 207, 211, 222, 230
- Dispersion 297–298, 363
- Dissipation, see Numerical dissipation
- Distribution 30, 32, 40, 48, 53–57, 62–64, 66, 69, 70, 75, 77, 82–93, 102–106, 111, 114, 122–123, 133, 149, 201, 205, 209, 212, 256, 280, 331–335, 356, 359, 368–371, 399–401
- Distribution function 368, see also Distribution
- Divergence theorem 253
- Dividend 5, 6, 10, 16, 26, 65, 74, 122–124, 156–157, 172, 175–177, 179, 204, 209, 213, 216, 218, 221–222, 251, 279, 290, 312, 334, 353, 356–357, 361–364, 397, 399
- Doebelin 64
- Double barrier 251–252, 258–259
- Dow Jones Industrial Average 1, 30
- Drift 31, 37, 38, 42, 48, 56, 63–64, 126, 149, 332–335, 373–377,
- Drift correction 149
- Drifted Brownian motion 31, 42, 48, 64, 332–333
- Dupire 363–364
- Dynamic programming 21, 50, 62, 139–140
- Dynamical system 65
- Early exercise 5, 7, 11, 21, 27, 49, 124, 156, 174, 204, 209, 215, 216, 281, 308, 398
- Early-exercise curve (Free boundary)  $S_f$  7, 24, 62, 136–138, 156, 174–181, 207–208, 212, 218–221, 359–362
- Efficient market 31, 351
- Eigenmode 292, see Fourier mode
- Element matrix 240, 258, 269
- Elliptic 264–266, 270, 394–395
- Empirical data 51, 64, 71, 345
- Error control 13, 68, 125, 196–198, 210
- Error damping 164
- Error function 66, 399
- Error projection 264–266
- Estimate 13, 40, 51, 64, 66, 71, 104, 105, 112–113, 124, 144, 195–199, 260, 370
- Euler discretization method 38, 63, 110, 112–114, 117–118, 120, 126–130, 133, 144, 150, 152, 153, 217, 292, 325
- EURIBOR 58
- Excess return 41
- Exercising an option 1–3, 5–7, 50, 134, 174–176, 223–224, 283, 350
- Exotic option, see Option
- Expectation 16, 28, 31, 39, 45, 47, 54, 63, 70, 82, 92, 107, 109, 113–114, 119, 122–124, 139, 331–332, 335, 340, 345, 347, 358, 368–371, 373, 377
- Expiration 2, see also Maturity
- Explicit method 110, 161–165, 185, 217, 292, 300, 306–307

- Exponential distribution 54, 86, 334
- Exponential growth 18, 64, 227
- Extrapolation 22–24, 51, 71–72, 199–200, 208–209, 213–214, 226, 382
- Factorization, see Decomposition
- Fast Fourier Transformation (FFT) 59, 65, 311, 339–344, 386
- Faure sequence 100, 102
- Feller condition 64
- Feynman–Kac theorem 149
- Fibonacci generator 81–82, 100–101, 104, 106
- Filtration 135, 347, 367, 373
- Financial engineering 12, 230, 302, 350–352
- Finite differences 25, 158–171, 177, 183, 185–187, 193–194, 200, 212–215, 217–221, 231, 244, 249–250, 255, 260, 288, 292–302, 306–307, 325–329, 337–339
- Finite elements 199, Chapter 5
- Finite–volume method 309
- Fokker–Planck equation 363–365
- Foreign exchange 216, 353–354
- Forward 350, 352–354
- Forward difference 162, 166
- Forward equation 364
- Forward time backward space (FTBS) 294
- Forward time centered space (FTCS) 292–296, 299, 311
- Fourier mode 292–294, 297–298
- Fourier transformation 292, 311, 331, 339–343, 347, 386
- Fractal interpolation 149
- Free boundary problem 173–187
- Front fixing 179, 215, 218, 220, 225, 269
- Fundamental theorem of asset pricing 42
- Function spaces 236, 260–262, 268, 388–391
- Future 350
- Galerkin method 229, 234–243, 252–258, 269
- GARCH 64
- Gaussian process 30–31
- Gauß–Seidel method 223, 387–388
- Geometric Brownian motion (GBM) 10, 38–43, 47–48, 51–53, 55–56, 58–59, 64, 122–123, 132, 153, 156, 209, 250, 270, 273, 275, 277, 282, 315, 333–334, 354, 363, 376
- Gerschgorin 169, 383
- Girsanov 42, 374
- Godunov 309
- Greek 12, 25, 74, 143, 194, 211, 215, 220, 357
- Grid 13–15, 17–18, 49, 71, 95, 102, 110, 120, 121, 138, 159–160, 165, 171, 183, 194–199, 221, 227, 229–231, 236, 242, 247, 251, 256, 265, 270, 278, 279, 292, 298, 299, 303, 305, 325, 337, 342–343
- Halton sequence 98–100, 102, 148
- Hat function 235–243, 248, 256–257, 262–263, 265–266, 268, 269
- Harrison 374
- Hedging 6, 26, 60, 62, 315–318, 350–351, 353, 355–358
- Hermite polynomial 268
- Hesse matrix, Hessian 188, 268, 392, 394–395
- Heston’s model 45, 59–60, 65, 142, 154, 259, 345
- Heston–Hull–White model 146
- High–contact condition 178–179, 182, 205, 208, 212, 218, 221, 223–224
- High resolution 299–302
- Hilbert space 390–391
- Histogram 40–41, 51–52, 71
- Hitting time 135, 153
- Holding value, see Continuation value
- Illiquidity 322
- Implicit method 166–169, 217, 222, 254, 303, 306–307, 309, 325–329, 346, 347
- Implied tree 78
- Implied volatility 40, 59, 67, 363
- Importance sampling 149
- Incomplete market 315, 318, 355, 358, 376
- Independent random variable 31–32, 53–55, 75, 88, 90, 93, 103, 105, 119, 125, 143, 147, 149, 151, 279, 331–333, 358, 369–370
- Ingersoll 43–45, 73
- Initial conditions 47, 157–158, 162, 184, 244, 294, 364
- Inner product 233, 260, 391
- Integrability 94, 234, 236, 389–390

- Integral equation 37, 46, 210–212, 214–215, 221, 226, 252, 374
- Integral representation 48–50, 122–123, 171, 209, 212, 221, 340, 363
- Interest rate  $r$  4, 6, 10, 16, 28–29, 42–43, 48, 58, 62, 146–147, 259, 291, 350–354, 377
- Interpolation 14, 32, 121, 201, 212, 214–216, 231, 235, 267, 288, 380
- Intrinsic value 2, 4, 224
- Inversion method 83–84, 87, 101, 106, 148, 400–401
- Isometry 36, 151
- Iteration 59, 67, 84, 162–163, 188–191, 195, 200, 210–211, 220, 306, 309, 339, 383, 386–388, 391–392
- Itô integral 35–36, 63, 110, 150–151
- Itô Lemma or formula, see Lemma of Itô
- Itô process 37, 46–47, 72, 110, 371, 374–376
- Itô–Taylor expansion 115–116
- Jacobi matrix 87, 120, 382
- Jacobi method 387–388
- Jensen’s inequality 202, 369
- Jump 10, 26, 53, 64, 107, 216, 287–288, 331, 336, 344
- Jump diffusion 55–58, 65, 120, 330, 333–336, 338, 345, 347, 357–358
- Jump process 53–57, 316, 330–339, 376
- Karush–Kuhn–Tucker theorem 188
- Kim’s integral equation 209, 226
- Koksma–Hlawka bound 97, 100, 102
- Kurtosis 64
- Lack of smoothness 193, 198, 217, 220, 230, 344, 394
- Lagrange polynomial 220, 380
- Landau 218, 382
- Lattice method, see Binomial method
- Law of large numbers 93, 370
- Lax–Friedrichs scheme 295, 299, 301–302, 312
- Lax–Milgram theorem 264
- Lax–Wendroff scheme 299–302, 309, 312
- Leap frog 309
- Least squares 58–59, 65, 140, 234, 364, 391, 393
- Lebesgue integral 37, 93, 389
- Lehmer generator 100
- Leland 316–318, 324, 329, 344, 346
- Lemma of Céa 264–265
- Lemma of Itô 46–48, 63–64, 115–116, 151, 279, 282, 310, 317, 354–355, 357, 371, 375–376
- Levenberg–Marquardt method 392
- Leverage 380
- Lévy–Khinchin representation 331
- Lévy process 57, 101, 280, 309, 330–335, 339–340, 345
- LIBOR 350
- Limiter 302
- Linear complementarity problem (LCP) 182, see Complementarity
- Linear element 263, see Hat function
- Liquidity 11, 322
- Local discretization error 168, 222
- Lognormal 48, 56, 64, 70–71, 122–123, 280, 335, 359
- Long position 2, 4, 26, 352
- Low discrepancy 97, see Discrepancy
- LUBA method 212, 215
- Madan 59, 343
- Malliavin 143
- Market model, see Model of the Market
- Market price of risk 42, 259, 376
- Markov Chain Monte Carlo 102
- Markov process 31, 54
- Marsaglia method 88–89, 101, 104, 148
- Martingale 29, 31, 36, 42, 57, 149, 332–334, 358, 373–377
- Maruyama 63
- Mass matrix 238, 242, 268
- Maturity (expiration)  $T$  1, 3, 6, 58, 349–354
- Maximum of a Wiener process 149
- Mean reversion 43, 45, 58, 146
- Mean square error 127
- Measurable 135, 367, 373
- Merton 9–10, 55–56, 61, 142, 275, 277, 330, 333–336, 339, 345, 347, 399
- Mersenne twister 82
- Method of lines 156, 201, 206–209, 216, 224–225, 243
- Milstein 118–119, 130, 152
- Minimization 140, 188, 221, 247, 261, 391–393
- Mode, see Fourier mode
- Model error 195

- Model of the Market 8–11, 31, 36, 41–42, 54, 57–58, 65, 195, 315–322, 351, 363, 374–376
- Model problem
  - $-u'' = f$  241, 260, 265
  - $u_t + au_x = bu_{xx}$  291, 295
  - $u_t + au_x = 0$  294, 301
- Modulo congruence 76
- Moment 64, 70, 113–114, 119–120, 151–152, 368
- Moneyiness 202
- Monotonicity of a numerical scheme 300–301, 309, 326–329
- Monte Carlo method 45, 75, 92–97, 100–102, 105, Chapter 3, 170, 215, 275, 277, 279–280, 309–310, 333, 339, 377
- Multifactor model 43–45, 140, 142, 227, 229, 274–277
- Multigrid 221, 279
- Negative price 74
- Neumann boundary condition 255
- Neumann stability analysis 292–296, 308, 310
- Newton's method 67, 84, 200, 303, 306–307, 326, 344, 382–383, 391–392
- Niederreiter sequence 100, 102
- NIG process 334, 345
- Nitsche 266
- No-arbitrage principle 5, 351–352, see Arbitrage
- Nobel Prize 61, 64
- Node 17–20, 22, 25, 50–51, 62, 74, 160–162, 216, 219, 227, 233, 236–237, 257–258, 266, 268, 271, 280, 294, 299, 312
- Nonconstant coefficients 52, 301, 357
- Nonlinear 11, 57–58, 65, 100, 174, 179, 181, 190, 210, 220, 303–307, 315–329, 346, 394
- Norm 264–267, 383, 386, 389–391, 393
- Normal distribution 12, 31–32, 64, 66, 75, 84, 86–87, 90, 104, 201, 205, 333, 369, 399–401
- Normal Inverse Gaussian (NIG) 334, 345
- Numerical dissipation 295, 301, 309
- Obstacle problem 181–184, 218, 244–246, 261
- One-factor model 43, 50, 122
- One-period model 26–29, 41, 122
- Option 1, 350–351, 354–355
  - American 2, 4–5, 7–8, 11, 21–22, 24, 49–50, 134–141, 172–194, 197–198, 201–214, 216, 218–220, 222–226, 246–249, 268, 272, 274, 280, 303–305, 308, 322, 324, 330, 339, 345, 359–362, 394, 397–399
  - Asian 8, 127, 275, 280–288, 290–291, 308, 310
  - Average , see Asian option
  - Barrier 8, 11, 18, 62, 121, 127, 149, 153, 212, 229–230, 236, 251–252, 258–259, 268, 270, 275, 307, 309, 318, 321–322, 330, 344
  - Basket 8, 141, 229–230, 251, 276–277, 303–305
  - Bermudan 49–50, 138–139, 155
  - Binary 132–133, 193, 225, 255–256, 274
  - Call 1–5, and all over
  - Chooser 274
  - Compound 274
  - European 2–3, 5, 7, 9–10, and all over
  - Exotic 3, 8, 13, 127, 132–133, 251, 273–276, 308–310
  - Lookback 126–127, 275, 307, 309
  - Path-dependent 8, 51, 126, 274–275, 280, 309, 317
  - Perpetual 178, 223–224, 359, 399
  - Put 1, 3–5, 7–9, and all over
  - Rainbow 276–277
  - Vanilla (standard) 1, 8, 11, 20, 50, 58, 72, 136, 155, 158, 201, 213, 242–244, 274, 281–282, 305, 315, 321, 324, 340, 356, 397–399
- Order of convergence or error 13, 22, 24, 46, 51, 69, 71–72, 94–95, 112–113, 116–120, 127–128, 148, 159, 167–168, 171, 187, 195–196, 217, 219, 222, 226–227, 244, 254, 260–267, 286, 292, 294–296, 299–302, 306, 309, 311, 317, 342, 382, 392
- Ornstein-Uhlenbeck (OU) process 43, 45, 73
- Oscillations 193, 217, 220, 289–291, 293, 296–298, 300, 308, 380
- Overfitting 60
- Parallelization 101, 149
- Parameterization of a curve 205, 253–256

- Parametric method 136–138, 150
- Pareto 64, 215
- Partial differential equation (PDE) 9–13, 64, Chapters 4–7, p. 363–364, 394, 402
- Partial integro-differential equation (PIDE) 57, 330, 334, 359
- Partition of a domain 33–34, 106, 150, 231–232, 236, 263, 269, 381
- Path (Trajectory) 3, 8, 18, 30, 38–40, 45, 53, 109–113, 123–124, 126–127, 129, 132–136, 138–141, 144–147, 153, 216, 274
- Path-(in)dependent, see Option
- Pathwise sensitivity 143–147
- Payoff 2–5, 7–11, 20–22, and all over
- Péclet number 216, 289–291, 293–295, 308
- Penalty method 181, 217, 221, 269, 303–307, 309, 313, 322–324, 330, 339, 344
- Period of random numbers 76–81
- Phase shift 298
- Pliska 374
- Poincaré inequality 265
- Poisson distribution 53, 107, 371
- Poisson process 53–56, 331–333, 373
- Pole behavior 84, 381
- Polygon 121, 237–238, 262–263, 265–266, 380
- Polynomial 113, 220, 231–232, 235, 263, 267, 269, 293, 380–381, 293, 401
- Portfolio 26–29, 32, 62, 65, 72–73, 224, 229, 277, 310, 316–317, 320, 346, 349, 351–352, 354–355, 357–358, 374, 376
- Power method 108, 385, 388
- Preconditioner 387–388
- Premium 1–2, 4, 204, 209, 211, 315, 350–352
- Principal component analysis (PCA) 91, 108, 267
- Probability 16–17, 26, 28–29, 41–42, 48, 53, 63, 69, 74, 77, 83, 89, 92, 102, 106, 114, 120–123, 154, 270, 331–332, 356, 363, 367–371, 374
- Profit 4–5, 27, 176, 351, 353
- Projection SOR 189, see SOR
- Pseudo-random number 75, 82, 99
- Put, see Option
- Put-call parity 5, 65, 172, 206, 222, 356, 362, 397, 399
- Put-call symmetry 198, 362
- Quadratic approximation 204–206, 214–215, 220
- Quadrature 50–51, 66, 97, 102, 123, 272, 277, 342, 381, 399
- Quasi Monte Carlo 100, 147
- Quasi-random number 148
- Radial basis function 64
- Radical-inverse function 98–99, 106
- Radon–Nikodym 374
- Random number 32, 38, 45, 54, 56, Chapter 2, 126, 129, 133, 137, 142–143, 148–149, 392
- Random variable 29–31, 35, 54, 70, 75, 82–91, 102, 104–105, 114, 117, 119–120, 124, 128–129, 135, 151–152, 331, 358, 367–370, 373
- Random walk 63, 287
- RANDU 80
- Range of volatility 319–322
- Rannacher 194
- Rational approximation 84, 381, 401–402
- Rayleigh–Ritz principle 263, 267
- Regression 138–142, 149–150, 203, 212, 393
- Relaxation parameter 189, 219, 387
- Replication portfolio 62, 212, 315, 317, 354–355, 357, 376–377
- Residual 229–234, 252–253,
- Return 29, 38–42, 45, 51–52, 64, 70–71, 277, 320–321, 349, 352, 382
- Riemann–(Stieltjes–) integral 33, 37
- Risk 1–2, 4–6, 42, 53, 60, 64, 94, 259, 315, 319–320, 349–358, 376
- Risk free, risk neutral 6, 16–17, 20, 26–29, 36, 41–42, 48, 50, 57, 59, 62, 65, 69, 109, 122–124, 139–140, 176, 291, 316, 332–334, 340, 349, 354
- Root mean square error (RMS) 213
- Ross 43–45, 61, 73
- Rounding error 14, 67, 100, 148, 163–165, 195, 308
- Rubinstein 61
- Runge–Kutta method 118
- Sample 51, 56, 60, 75, 77, 83, 93–95, 102, 106, 111–113, 123, 127, 136, 153, 281, 287, 367, 370
- Sample variance 51, 61, 66, 71, 77
- Sampling error 126–127, 133, 142, 148, 342
- Samuelson 64

- Schöbel–Zhu model 65  
 Scholes 9, see Black  
 Schwartz 190, 213, 219, 226  
 Schwarzian inequality 262, 265, 272, 391  
 SDE, see Stochastic Differential Equation  
 Secant method 84, 210–211, 226, 383  
 Seed 76, 78, 82, 112, 124, 126  
 Self-financing 62, 73, 317, 351, 354–357, 374–377  
 Separation of variables 242–244, 247, 260, 283, 288  
 Semidiscretization 15, 139, 159, 206–207, 224, 243, 247  
 Sensitivity analysis 11–12, 25, 143–147, 194  
 Short position 4, 26, 65, 352–353  
 Short sale 353  
 Shuffling 81  
 Similarity reduction 308  
 Simple process 36–37  
 Simpson sum 345  
 Simulated Annealing 392  
 Simulation 13, 32, 38, 53, 55, 57, 75, 92, Chapter 3, 275, 279, 333, 377  
 Singular matrix 101, 241  
 Smooth, see Differentiable  
 Smooth pasting 178, 218, 224, see High contact  
 Snell envelope 62  
 Sobol sequence 100, 102, 221  
 Sobolev space 261–263, 390  
 Software 12, 101, 259, 400, 402  
 Soner 318, 344, 345  
 SOR 188–193, 223, 226, 250, 387–388  
 Sparse grid 102, 123, 279  
 Sparse matrix 235, 263  
 Spectral decomposition 107  
 Spectral method 221, 267  
 Spectral radius 164, 386  
 Spline 235, 262, 269, 399  
 Spot market 3, 349  
 Spot price 6, 14, 19, 193, 349, 353  
 Spread 72, 277, 321–323, 346  
 Spurious 273, 289, 291, 296–298, 300, 308  
 Square integrable 94, 262, 389  
 Square root process 43, 345  
 Stability 13–14, 60, 148, 158, 163–170, 173, 195, 217–218, 222, 268, 292–296, 299–300, 306–308, 310–311, 326, 329, 344  
 Staggered grid 299  
 Standard deviation 6, 32, 94, 369  
 State-price process 374–377  
 Stencil 161, 166–168  
 Step length 38, 110, 121, 126, 146, 148, 152–153, 160, 165, 193–194, 210, 219, 254, 287, 292, 299, 306–307, 343  
 Stiffness matrix 242, 268, 271  
 Stochastic differential equation (SDE) 13, 37–48, 52, 55, 63, 70, 73, 109–126, 142–148, 152–154, 224, 286, 310, 333–334, 373–377  
 Stochastic integral 32–37, 44, 63, 119  
 Stochastic process 6, 30–31, 36–39, 43–47, 53, 57, 63, 110, 114, 121, 135, 373  
 Stochastic Taylor expansion 114–117  
 Stopping time 134–138, 141, 176, 193  
 Stopping region 175–181, 193  
 Strangle 72  
 Stratified sampling 101  
 Stratonovich integral 63  
 Strike price  $K$  1–8, 18, 22–23, 58, 65, and many more  
 Strong convergence 113–114, 118–119  
 Strong (classical) solution 111–112, 148, 247, 260, 394–396  
 Subordinator 334, 345  
 Support 85–86, 106, 235, 257, 263, 269  
 Swap 350  
 Symmetry of put and call 198, 220, 362  
 Tail of a distribution 52, 64, 401  
 Taylor expansion 11, 46, 114–119, 159, 168, 230, 298, 317, 372, 379  
 Terminal condition 10, 66, 157, 204, 251, 288, 291, 303, 315  
 Test function, see Weighting function  
 Time 1–4, 6, 10, 15, 31, 106, 135, 157, 349  
 Time-changed process 106, 334, 345  
 Toeplitz matrix 337  
 Total variation diminishing (TVD) 300–303, 309, 312  
 Trading strategy 33, 316–317, 351, 354, 374, 377  
 Trajectory, see Path  
 Transaction costs 3–4, 10–11, 316–319, 329, 346  
 Transformations 48, 51, 66, 85–89, 91, 104, 108, 151, 157, 172, 179, 187,



- 216, 220–223, 225, 270, 310, 323, 331, 336, 339, 362–364
- Trapezoidal rule 210, 217, 244, 337, 381
- Trapezoidal sum (composite rule) 95, 147, 210–211, 342, 381
- Traveling wave 294
- Tree method 143, 155, 217, 277–278, 307, see Binomial method
- Trial function, see Basis function
- Triangle as subdomain 231–233, 251, 257–258, 271
- Tridiagonal matrix 162, 164, 166, 168–169, 224, 226, 240, 250, 338, 384
- Trinomial model 26, 61–62, 217, 280, 307
- Truncation error 64, 170, 172, 217, 337, 339, 342
- Two-asset model 132–133, 250–252, 255–256, 270, 276–278, 305, 312
  
- Underlying 1–6, 8, 10–11
- Uniform distribution 75–77, 82–89, 93, 95, 104, 106, 369
- Upwind scheme 294–298, 300–302, 306, 311–312
  
- Value at Risk 64, 149
- Value function 9–12, 47
- Van der Corput sequence 98–100, 102
- Van Leer limiter 302
- Variable volatility 64, 272, 362–365
- Variance 16–17, 31, 45, 47, 51, 63, 66, 71, 73, 77, 93–94, 101, 105, 113–114, 119, 127–129, 149, 331, 368–371
- Variance Gamma process (VG) 334
- Variance reduction 128–131, 141–142, 149
- Variation 33–35, 97
- Variational problem 184, 244–246, 262–263
- Vasicek model 43
- Vieta 18
- Viscosity solution 326, 328, 394–396
- Volatility 6, 10, 17, 19, 38, 40, 43, 45, 51, 57–60, 64
  - Implied 59, 67, 363
  - Local 64, 362–364
  - Variable 64, 272, 362
- Volatility smile 67, 217, 363
- Von Neumann stability, see Neumann stability
  
- Wallace algorithm 101
- Wave 294
- Wave number 292–293, 298
- Wavelet 269
- Weak convergence 113–114, 119–120, 127, 130, 148
- Weak derivative or version 230, 247, 252–257, 266, 268, 309, 389–390
- Weak solution 111, 151, 247, 253, 260, 262–264, 394–395
- Weighted residuals 230–234
- Weighting function 233–234, 252
- Wiener process (standard Brownian motion)  $W_t$  30–38, 41–47, 57–58, 63, 73, 106, 110–112, 120, 125, 133, 143, 147, 149–152, 154, 278, 331, 334, 345, 372–374
- Writer 1–5, 351
  
- Ziggurat algorithm 101

